ELSEVIER

Journal of Affective Disorders 67 (2001) 279–281

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Ahearn, E., see Cassidy, F. (67) 181
Akiskal, H.S., see Bauer, M.S. (67) 61
Akiskal, H.S., see Benazzi, F. (67) 115
Akiskal, H.S., see Coryell, W. (67) 79
Akiskal, H.S., Hantouche, E.G., Bourgeois, M.L., Azorin, J.M., Sechter, D., Allilaire, J.F., Chatenêt-Duchêne, L. and Lancrenon, S.
Toward a refined phenomenology of mania: combining clinician-assessment and self-report in the French EPIMAN study (67) 89
Akiskal, H.S., see Hantouche, E.G. (67) 97
Akiskal, H.S. and Katona, C.P.
The new bipolar era and beyond (67) 1
Akiskal, H.S., see Perugi, G. (67) 105
Akiskal, H.S., see Perugi, G. (67) 199
Akiskal, H.S., see Vieta, E. (67) 213
Alda, M., see Duffy, A. (67) 159
Alarćon, R.D.
Bipolarity: Beyond Classic Mania – The Psychiatric Clinics of North America (67) 275
Allilaire, J.F., see Akiskal, H.S. (67) 89
Allilaire, J.P., see Hantouche, E.G. (67) 97
Altshuler, L., see Bauer, M.S. (67) 61
Altshuler, L.L., see Leverich, G.S. (67) 33
Altshuler, L.L., see Suppes, T. (67) 45
Angst, J. and Marneros, A.
Bipolarity from ancient to modern times: conception, birth and rebirth (67) 3
Austria, B., see Deltito, J. (67) 221
Azorin, J.M., see Akiskal, H.S. (67) 89
Azorin, J.M., see Hantouche, E.G. (67) 97

Baron, M.
Genetic linkage and bipolar disorder: a cautionary note (67) 267
Bauer, M.S., Williford, W.O., Dawson, E.E., Akiskal, H.S., Altshuler, L., Fye, C., Gelenberg, A., Glick, H., Kinosian, B. and Sajatovic, M.
Principles of effectiveness trials and their implementation in VA Cooperative Study #430: 'Reducing the Efficacy-Effectiveness Gap in Bipolar Disorder' (67) 61
Benabarre, A., see Vieta, E. (67) 213
Benazzi, F. and Akiskal, H.S.
Delineating bipolar II mixed states in the Ravenna–San Diego collaborative study: the relative prevalence and diagnostic significance of hypomanic features during major depressive episodes (67) 115
Bickel, M., see Suppes, T. (67) 45
Bottlender, R., see Möller, H.-J. (67) 141
Bourgeois, M.L., see Akiskal, H.S. (67) 89
Bourgeois, M.L., see Hantouche, E.G. (67) 97
Bowden, C.L.
Clinical correlates of therapeutic response in bipolar disorder (67) 257
Bowden, C.L., see Swann, A.C. (67) 123
Breier, A., see Tohen, M. (67) 133

Caban, S., see Calabrese, J.R. (67) 241
Calabrese, J.R., Shelton, M.D., Rapport, D.J., Kujawa, M., Kimmel, S.E. and Caban, S.
Current research on rapid cycling bipolar disorder and its treatment (67) 241
Calabrese, J.R., see Swann, A.C. (67) 123
Carroll, B.J., see Cassidy, F. (67) 181
Cassidy, F., Ahearn, E. and Carroll, B.J.
A prospective study of inter-episode consistency of manic and mixed subtypes of bipolar disorder (67) 181
Chatenêt-Duchêne, L., see Akiskal, H.S. (67) 89
Chatenêt-Duchêne, L., see Hantouche, E.G. (67) 97
Colom, F., see Vieta, E. (67) 213
Corless C. Morse, P., see Deltito, J. (67) 221
Coryell, W., Leon, A.C., Turvey, C., Akiskal, H.S., Mueller, T. and Endicott, J.
The significance of psychotic features in manic episodes: a report from the NIMH collaborative study (67) 79

Davis, J.M., see Swann, A.C. (67) 123
Dawson, E.E., see Bauer, M.S. (67) 61
Dedrick, C., see Mota-Castillo, M. (67) 193
DeGolia, S.G., see Winsberg, M.E. (67) 207
Deltito, J., Martin, L., Riefkohl, J., Austria, B., Kissilenko, A. and Corless C. Morse, P.
Do patients with borderline personality disorder belong to the bipolar spectrum? (67) 221
Denicoff, K.D., see Leverich, G.S. (67) 33
Denicoff, K.D., see Suppes, T. (67) 45
Dilsaver, S.C.
Unsuspected depressive mania in pre-pubertal hispanic chil-

PII: S0165-0327(02)00030-7

dren referred for the treatment of 'depression' with history of social 'deviance' (67) 187
Dilsaver, S.C., see Swann, A.C. (67) 123
Dore, G. and Romans, S.E.
Impact of bipolar affective disorder on family and partners (67) 147
Duffy, A., Grof, P., Kutcher, S., Robertson, C. and Alda, M.
Measures of attention and hyperactivity symptoms in a high-risk sample of children of bipolar parents (67) 159

Endicott, J., see Coryell, W. (67) 79
Engels, B., see Mota-Castillo, M. (67) 193

Feldman, P.D., see Tohen, M. (67) 133
Frye, M.A., see Suppes, T. (67) 45
Füredi, J., see Rihmer, Z. (67) 175
Fye, C., see Bauer, M.S. (67) 61

Gastó, C., see Vieta, E. (67) 213
Gelenberg, A., see Bauer, M.S. (67) 61
Gemignani, A., see Perugi, G. (67) 199
Glick, H., see Bauer, M.S. (67) 61
Gluckman, M., see Mota-Castillo, M. (67) 193
Grof, P., see Duffy, A. (67) 159
Grunze, H., see Möller, H.-J. (67) 141

Hantouche, E.G., see Akiskal, H.S. (67) 89
Hantouche, E.G., Allilaire, J.P., Bourgeois, M.L., Azorin, J.M., Sechter, D., Chatenêt-Duchêne, L., Lancrenon, S. and Akiskal, H.S.
The feasibility of self-assessment of dysphoric mania in the French national EPIMAN study (67) 97

Janicak, P.L., see Swann, A.C. (67) 123

Katona, C.P.
see Akiskal, H.S. (67) 1
Keck Jr., P.E., see Leverich, G.S. (67) 33
Keck Jr., P.E., see Suppes, T. (67) 45
Keck Jr., P.E., see Tohen, M. (67) 133
Ketter, T.A., see Winsberg, M.E. (67) 207
Kimmel, S.E., see Calabrese, J.R. (67) 241
Kinosian, B., see Bauer, M.S. (67) 61
Kiss, K., see Rihmer, Z. (67) 175
Kissilenko, A., see Deltito, J. (67) 221
Koek, R.J., see Yerevanian, B.I. (67) 167
Kramlinger, K.G., see Leverich, G.S. (67) 33
Kujawa, M., see Calabrese, J.R. (67) 241
Kupka, R., see Leverich, G.S. (67) 33
Kupka, R., see Suppes, T. (67) 45
Kutcher, S., see Duffy, A. (67) 159

Lancrenon, S., see Akiskal, H.S. (67) 89
Lancrenon, S., see Hantouche, E.G. (67) 97
Leon, A.C., see Coryell, W. (67) 79
Leverich, G.S., Nolen, W.A., Rush, A.J., McElroy, S.L., Keck Jr., P.E., Denicoff, K.D., Suppes, T., Altshuler, L.L., Kupka, R., Kramlinger, K.G. and Post, R.M.
The Stanley Foundation Bipolar Treatment Outcome Network. I. Longitudinal methodology (67) 33
Leverich, G.S., see Suppes, T. (67) 45

Madaro, D., see Perugi, G. (67) 105
Marneros, A.
Origin and development of concepts of bipolar mixed states (67) 229
Marneros, A., see Angst, J. (67) 3
Martin, L., see Deltito, J. (67) 221
Martínez-Arán, A., see Vieta, E. (67) 213
McElroy, S.L., see Leverich, G.S. (67) 33
McElroy, S.L., see Suppes, T. (67) 45
Micheli, C., see Perugi, G. (67) 105
Möller, H.-J., Bottlender, R., Grunze, H., Strauss, A. and Wittmann, J.
Are antidepressants less effective in the acute treatment of bipolar I compared to unipolar depression? (67) 141
Morris, D.D., see Swann, A.C. (67) 123
Mota-Castillo, M., Torruella, A., Engels, B., Perez, J., Dedrick, C. and Gluckman, M.
Valproate in very young children: an open case series with a brief follow-up (67) 193
Mueller, T., see Coryell, W. (67) 79

Nolen, W.A., see Leverich, G.S. (67) 33
Nolen, W.A., see Suppes, T. (67) 45

Papp, Z., see Rihmer, Z. (67) 175
Perez, J., see Mota-Castillo, M. (67) 193
Perugi, G., Akiskal, H.S., Micheli, C., Toni, C. and Madaro, D.
Clinical characterization of depressive mixed state in bipolar-I patients: Pisa-San Diego collaboration (67) 105
Perugi, G., Akiskal, H.S., Toni, C., Simonini, E. and Gemignani, A.
The temporal relationship between anxiety disorders and (hypo)mania: a retrospective examination of 63 panic, social phobic and obsessive–compulsive patients with comorbid bipolar disorder (67) 199
Petty, F., see Swann, A.C. (67) 123
Post, R.M., see Leverich, G.S. (67) 33
Post, R.M., see Suppes, T. (67) 45

Ramdev, S., see Yerevanian, B.I. (67) 167
Rapport, D.J., see Calabrese, J.R. (67) 241
Reinares, M., see Vieta, E. (67) 213
Riefkohl, J., see Deltito, J. (67) 221
Rihmer, Z., Szádóczky, E., Füredi, J., Kiss, K. and Papp, Z.
Anxiety disorders comorbidity in bipolar I, bipolar II and unipolar major depression: results from a population-based study in Hungary (67) 175
Risser, R.C., see Tohen, M. (67) 133
Robertson, C., see Duffy, A. (67) 159
Romans, S.E., see Dore, G. (67) 147
Rush, A.J., see Leverich, G.S. (67) 33
Rush, A.J., see Suppes, T. (67) 45

Sajatovic, M., see Bauer, M.S. (67) 61
Schou, M.
Lithium treatment at 52 (67) 21
Sechter, D., see Akiskal, H.S. (67) 89
Sechter, D., see Hantouche, E.G. (67) 97
Shelton, M.D., see Calabrese, J.R. (67) 241
Simonini, E., see Perugi, G. (67) 199
Strauss, A., see Möller, H.-J. (67) 141
Strong, C.M., see Winsberg, M.E. (67) 207
Suppes, T., see Leverich, G.S. (67) 33
Suppes, T., Leverich, G.S., Keck Jr., P.E., Nolen, W.A., Denicoff, K.D., Altshuler, L.L., McElroy, S.L., Rush, A.J., Kupka, R., Frye, M.A., Bickel, M. and Post, R.M.
The Stanley Foundation Bipolar Treatment Outcome Network. II. Demographics and illness characteristics of the first 261 patients (67) 45
Swann, A.C., Janicak, P.L., Calabrese, J.R., Bowden, C.L., Dilsaver, S.C., Morris, D.D., Petty, F. and Davis, J.M.
Structure of mania: depressive, irritable, and psychotic clusters with different retrospectively-assessed course patterns of illness in randomized clinical trial participants (67) 123
Szádóczky, E., see Rihmer, Z. (67) 175

Tohen, M., Zhang, F., Keck Jr., P.E., Feldman, P.D., Risser, R.C., Tran, P.V. and Breier, A.
Olanzapine versus haloperidol in schizoaffective disorder, bipolar type (67) 133
Toni, C., see Perugi, G. (67) 105
Toni, C., see Perugi, G. (67) 199
Torruella, A., see Mota-Castillo, M. (67) 193
Tran, P.V., see Tohen, M. (67) 133
Turvey, C., see Coryell, W. (67) 79

Vieta, E., Gastó, C., Colom, F., Reinares, M., Martínez-Arán, A., Benabarre, A. and Akiskal, H.S.
Role of risperidone in bipolar II: an open 6-month study (67) 213

Williford, W.O., see Bauer, M.S. (67) 61
Winsberg, M.E., DeGolia, S.G., Strong, C.M. and Ketter, T.A.
Divalproex therapy in medication-naive and mood-stabilizer-naive bipolar II depression (67) 207
Wittmann, J., see Möller, H.-J. (67) 141

Yerevanian, B.I., Koek, R.J. and Ramdev, S.
Anxiety disorders comorbidity in mood disorder subgroups: data from a mood disorders clinic (67) 167

Zhang, F., see Tohen, M. (67) 133

ELSEVIER

Journal of Affective Disorders 67 (2001) 283–286

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Activation; DSM-IV mania; Mixed state; Social disinhibition; Self-assessment **67,** 89

ADHD; Bipolar disorder; Early onset; Adolescence; Comorbidity **67,** 159

Adolescence; Bipolar disorder; Early onset; ADHD; Comorbidity **67,** 159

Affective disorder; Bipolar spectrum; Bipolar II; Borderline Personality; Rapid cycling; Affective temperaments **67,** 221

Affective psychosis; Mania; Mixed state; Multivariate statistics; Bipolar disorder; Course of illness; Factor analysis; Cluster analysis **67,** 123

Affective temperaments; Bipolar spectrum; Bipolar II; Borderline Personality; Affective disorder; Rapid cycling **67,** 221

Agitated depression; Bipolar depression; Depressive mixed state; Bipolar I disorder; DSM-IV **67,** 105

Antidepressants; Association for Methodology and Documentation in Psychiatry; Bipolar depression; Global assessment scale; Unipolar depression **67,** 141

Anxiety disorders; Major depression; Bipolar I disorder; Bipolar II disorder; Lifetime comorbidity; DIS; Hungary **67,** 175

Anxiety disorders; Temporal relationship; (Hypo)mania **67,** 199

Association for Methodology and Documentation in Psychiatry; Antidepressants; Bipolar depression; Global assessment scale; Unipolar depression **67,** 141

Attention-deficit hyperactivity disorder; Major depression; Pediatric bipolar disorder; Depressive mania; Hispanic; Mixed states **67,** 187

Atypical antipsychotic; Bipolar disorder; Haloperidol; Mania; Olanzapine; Schizoaffective disorder **67,** 133

Atypical Antipsychotics; Bipolar II; Hypomania; Risperidone **67,** 213

Bipolar; Schizoaffective; Cyclothymia; Hypomania; Mixed states; Bipolar spectrum; History **67,** 3

Bipolar depression; Depressive mixed state; Agitated depression; Bipolar I disorder; DSM-IV **67,** 105

Bipolar depression; Association for Methodology and Documentation in Psychiatry; Antidepressants; Global assessment scale; Unipolar depression **67,** 141

Bipolar disorder; Methodology; Longitudinal; Clinical trials; Treatment; Life chart; CGI-BP; Stanley Foundation Bipolar Network; NIMH **67,** 33

Bipolar disorder; Depression; Illness course; Family history; Comorbidity; Suicide; Treatment Outcome Network; Stanley Foundation **67,** 45

Bipolar disorder; Clinical trial; Outcome assessment (health care); Costs and cost analysis (cost-benefit analysis); United States Department of Veterans Affairs; National Institute of Mental Health **67,** 61

Bipolar disorder; Mania; Mixed state; Affective psychosis; Multivariate statistics; Course of illness; Factor analysis; Cluster analysis **67,** 123

Bipolar disorder; Atypical antipsychotic; Haloperidol; Mania; Olanzapine; Schizoaffective disorder **67,** 133

Bipolar disorder; Social adjustment; Occupation; Family; Conjugal relations **67,** 147

Bipolar disorder; Early onset; Adolescence; ADHD; Comorbidity **67,** 159

Bipolar disorder; Mood disorders; Epidemiology; Comorbidity **67,** 167

Bipolar disorder; Inter-episode consistency; Manic and mixed episodes; Classification **67,** 181

Bipolar disorder; Rapid cycling; Divalproex sodium; Lamotrigine **67,** 241

Bipolar disorder; Lithium; Carbamazepine; Valproate; Divalproex sodium; Neuroletics **67,** 257

Bipolar disorder; Genetic linkage; Disease genes **67,** 267

Bipolar I disorder; Bipolar depression; Depressive mixed state; Agitated depression; DSM-IV **67,** 105

Bipolar I disorder; Major depression; Bipolar II disorder; Anxiety disorders; Lifetime comorbidity; DIS; Hungary **67,** 175

Bipolar II; Hypomania; Unipolar; Pseudo-unipolar; Depressive mixed state **67,** 115

Bipolar II; Hypomania; Atypical Antipsychotics; Risperidone **67,** 213

Bipolar II; Bipolar spectrum; Borderline Personality; Affective disorder; Rapid cycling; Affective temperaments **67,** 221

PII: S0165-0327(02)00031-9

Bipolar II disorder; Major depression; Bipolar I disorder; Anxiety disorders; Lifetime comorbidity; DIS; Hungary **67,** 175

Bipolar II disorder; Divalproex; Depression **67,** 207

Bipolar spectrum; Bipolar; Schizoaffective; Cyclothymia; Hypomania; Mixed states; History **67,** 3

Bipolar spectrum; Bipolar II; Borderline Personality; Affective disorder; Rapid cycling; Affective temperaments **67,** 221

Borderline Personality; Bipolar spectrum; Bipolar II; Affective disorder; Rapid cycling; Affective temperaments **67,** 221

Carbamazepine; Bipolar disorder; Lithium; Valproate; Divalproex sodium; Neuroletics **67,** 257

CGI-BP; Bipolar disorder; Methodology; Longitudinal; Clinical trials; Treatment; Life chart; Stanley Foundation Bipolar Network; NIMH **67,** 33

Classification; Bipolar Disorder; Inter-episode consistency; Manic and mixed episodes **67,** 181

Clinical trial; Bipolar disorder; Outcome assessment (health care); Costs and cost analysis (cost-benefit analysis); United States Department of Veterans Affairs; National Institute of Mental Health **67,** 61

Clinical trials; Bipolar disorder; Methodology; Longitudinal; Treatment; Life chart; CGI-BP; Stanley Foundation Bipolar Network; NIMH **67,** 33

Cluster analysis; Mania; Mixed state; Affective psychosis; Multivariate statistics; Bipolar disorder; Course of illness; Factor analysis **67,** 123

Comorbidity; Bipolar disorder; Depression; Illness course; Family history; Suicide; Treatment Outcome Network; Stanley Foundation **67,** 45

Comorbidity; Bipolar disorder; Early onset; Adolescence; ADHD **67,** 159

Comorbidity; Bipolar disorder; Mood disorders; Epidemiology **67,** 167

Compliance; Lithium prophylaxis; Side effects; Prophylactic alternatives; Suicide prevention **67,** 21

Conjugal relations; Bipolar disorder; Social adjustment; Occupation; Family **67,** 147

Costs and cost analysis (cost-benefit analysis); Bipolar disorder; Clinical trial; Outcome assessment (health care); United States Department of Veterans Affairs; National Institute of Mental Health **67,** 61

Course of illness; Mania; Mixed state; Affective psychosis; Multivariate statistics; Bipolar disorder; Factor analysis; Cluster analysis **67,** 123

Cyclothymia; Bipolar; Schizoaffective; Hypomania; Mixed states; Bipolar spectrum; History **67,** 3

Depression; Bipolar disorder; Illness course; Family history; Comorbidity; Suicide; Treatment Outcome Network; Stanley Foundation **67,** 45

Depression; Psychotic features; Manic syndromes **67,** 79

Depression; Divalproex; Bipolar II disorder **67,** 207

Depressive mania; Major depression; Attention-deficit hyperactivity disorder; Pediatric bipolar disorder; Hispanic; Mixed states **67,** 187

Depressive mixed state; Bipolar depression; Agitated depression; Bipolar I disorder; DSM-IV **67,** 105

Depressive mixed state; Hypomania; Bipolar II; Unipolar; Pseudo-unipolar **67,** 115

DIS; Major depression; Bipolar I disorder; Bipolar II disorder; Anxiety disorders; Lifetime comorbidity; Hungary **67,** 175

Disease genes; Bipolar disorder; Genetic linkage **67,** 267

Divalproex; Depression; Bipolar II disorder **67,** 207

Divalproex sodium; Bipolar disorder; Rapid cycling; Lamotrigine **67,** 241

Divalproex sodium; Bipolar disorder; Lithium; Carbamazepine; Valproate; Neuroletics **67,** 257

DSM-IV; Bipolar depression; Depressive mixed state; Agitated depression; Bipolar I disorder **67,** 105

DSM-IV mania; Mixed state; Activation; Social disinhibition; Self-assessment **67,** 89

Early onset; Bipolar disorder; Adolescence; ADHD; Comorbidity **67,** 159

Epidemiology; Bipolar disorder; Mood disorders; Comorbidity **67,** 167

Factor analysis; Mania; Mixed state; Affective psychosis; Multivariate statistics; Bipolar disorder; Course of illness; Cluster analysis **67,** 123

Family; Bipolar disorder; Social adjustment; Occupation; Conjugal relations **67,** 147

Family history; Bipolar disorder; Depression; Illness course; Comorbidity; Suicide; Treatment Outcome Network; Stanley Foundation **67,** 45

Gender; Self-assessment; Temperament; Mania; Mixed state **67,** 97

Genetic linkage; Bipolar disorder; Disease genes **67,** 267

Global assessment scale; Association for Methodology and Documentation in Psychiatry; Antidepressants; Bipolar depression; Unipolar depression **67,** 141

Haloperidol; Atypical antipsychotic; Bipolar disorder; Mania; Olanzapine; Schizoaffective disorder **67,** 133

Hispanic; Major depression; Attention-deficit hyperactivity disorder; Pediatric bipolar disorder; Depressive mania; Mixed states **67,** 187

History; Bipolar; Schizoaffective; Cyclothymia; Hypomania; Mixed states; Bipolar spectrum **67,** 3

Hungary; Major depression; Bipolar I disorder; Bipolar II disorder; Anxiety disorders; Lifetime comorbidity; DIS **67,** 175

Hypomania; Bipolar; Schizoaffective; Cyclothymia; Mixed states; Bipolar spectrum; History **67,** 3

Hypomania; Bipolar II; Unipolar; Pseudo-unipolar; Depressive mixed state **67,** 115

(Hypo)mania; Temporal relationship; Anxiety disorders **67,** 199

Hypomania; Bipolar II; Atypical Antipsychotics; Risperidone **67,** 213

Illness course; Bipolar disorder; Depression; Family history; Comorbidity; Suicide; Treatment Outcome Network; Stanley Foundation **67,** 45

Inter-episode consistency; Bipolar Disorder; Manic and mixed episodes; Classification **67,** 181

Lamotrigine; Bipolar disorder; Rapid cycling; Divalproex sodium **67,** 241

Life chart; Bipolar disorder; Methodology; Longitudinal; Clinical trials; Treatment; CGI-BP; Stanley Foundation Bipolar Network; NIMH **67,** 33

Lifetime comorbidity; Major depression; Bipolar I disorder; Bipolar II disorder; Anxiety disorders; DIS; Hungary **67,** 175

Lithium; Bipolar disorder; Carbamazepine; Valproate; Divalproex sodium; Neuroletics **67,** 257

Lithium prophylaxis; Side effects; Compliance; Prophylactic alternatives; Suicide prevention **67,** 21

Longitudinal; Bipolar disorder; Methodology; Clinical trials; Treatment; Life chart; CGI-BP; Stanley Foundation Bipolar Network; NIMH **67,** 33

Major depression; Bipolar I disorder; Bipolar II disorder; Anxiety disorders; Lifetime comorbidity; DIS; Hungary **67,** 175

Major depression; Attention-deficit hyperactivity disorder; Pediatric bipolar disorder; Depressive mania; Hispanic; Mixed states **67,** 187

Mania; Self-assessment; Temperament; Gender; Mixed state **67,** 97

Mania; Mixed state; Affective psychosis; Multivariate statistics; Bipolar disorder; Course of illness; Factor analysis; Cluster analysis **67,** 123

Mania; Atypical antipsychotic; Bipolar disorder; Haloperidol; Olanzapine; Schizoaffective disorder **67,** 133

Manic and mixed episodes; Bipolar Disorder; Inter-episode consistency; Classification **67,** 181

Manic syndromes; Depression; Psychotic features **67,** 79

Methodology; Bipolar disorder; Longitudinal; Clinical trials; Treatment; Life chart; CGI-BP; Stanley Foundation Bipolar Network; NIMH **67,** 33

Mixed state; Bipolar; Schizoaffective; Cyclothymia; Hypomania; Bipolar spectrum; History **67,** 3

Mixed state; DSM-IV mania; Activation; Social disinhibition; Self-assessment **67,** 89

Mixed state; Self-assessment; Temperament; Gender; Mania **67,** 97

Mixed state; Mania; Affective psychosis; Multivariate statistics; Bipolar disorder; Course of illness; Factor analysis; Cluster analysis **67,** 123

Mixed states; Major depression; Attention-deficit hyperactivity disorder; Pediatric bipolar disorder; Depressive mania; Hispanic **67,** 187

Mixed states, bipolar; Reviews; Wilhelm Weygandt **67,** 229

Mood disorders; Bipolar disorder; Epidemiology; Comorbidity **67,** 167

Mood stabilizers; Valproate; Very young children; Open case series; Stimulants **67,** 193

Multivariate statistics; Mania; Mixed state; Affective psychosis; Bipolar disorder; Course of illness; Factor analysis; Cluster analysis **67,** 123

National Institute of Mental Health; Bipolar disorder; Clinical trial; Outcome assessment (health care); Costs and cost analysis (cost-benefit analysis); United States Department of Veterans Affairs **67,** 61

Neuroletics; Bipolar disorder; Lithium; Carbamazepine; Valproate; Divalproex sodium **67,** 257

NIMH; Bipolar disorder; Methodology; Longitudinal; Clinical trials; Treatment; Life chart; CGI-BP; Stanley Foundation Bipolar Network **67,** 33

Occupation; Bipolar disorder; Social adjustment; Family; Conjugal relations **67,** 147

Olanzapine; Atypical antipsychotic; Bipolar disorder; Haloperidol; Mania; Schizoaffective disorder **67,** 133

Open case series; Valproate; Very young children; Mood stabilizers; Stimulants **67,** 193

Outcome assessment (health care); Bipolar disorder; Clinical trial; Costs and cost analysis (cost-benefit analysis); United States Department of Veterans Affairs; National Institute of Mental Health **67,** 61

Pediatric bipolar disorder; Major depression; Attention-deficit hyperactivity disorder; Depressive mania; Hispanic; Mixed states **67,** 187

Prophylactic alternatives; Lithium prophylaxis; Side effects; Compliance; Suicide prevention **67,** 21

Pseudo-unipolar; Hypomania; Bipolar II; Unipolar; Depressive mixed state **67,** 115

Psychotic features; Depression; Manic syndromes **67,** 79

Rapid cycling; Bipolar spectrum; Bipolar II; Borderline Personality; Affective disorder; Affective temperaments **67,** 221

Rapid cycling; Bipolar disorder; Divalproex sodium; Lamotrigine **67,** 241

Reviews; Mixed states, bipolar; Wilhelm Weygandt **67,** 229

Risperidone; Bipolar II; Hypomania; Atypical Antipsychotics **67,** 213

Schizoaffective; Bipolar; Cyclothymia; Hypomania; Mixed states; Bipolar spectrum; History **67,** 3

Schizoaffective disorder; Atypical antipsychotic; Bipolar disorder; Haloperidol; Mania; Olanzapine **67,** 133

Self-assessment; DSM-IV mania; Mixed state; Activation; Social disinhibition **67,** 89

Self-assessment; Temperament; Gender; Mania; Mixed state **67,** 97

Side effects; Lithium prophylaxis; Compliance; Prophylactic alternatives; Suicide prevention **67,** 21

Social adjustment; Bipolar disorder; Occupation; Family; Conjugal relations **67,** 147

Social disinhibition; DSM-IV mania; Mixed state; Activation; Self-assessment **67,** 89

Stanley Foundation; Bipolar disorder; Depression; Illness course; Family history; Comorbidity; Suicide; Treatment Outcome Network **67,** 45

Stanley Foundation Bipolar Network; Bipolar disorder; Methodology; Longitudinal; Clinical trials; Treatment; Life chart; CGI-BP; NIMH **67,** 33

Stimulants; Valproate; Very young children; Open case series; Mood stabilizers **67,** 193

Suicide; Bipolar disorder; Depression; Illness course; Family history; Comorbidity; Treatment Outcome Network; Stanley Foundation **67,** 45

Suicide prevention; Lithium prophylaxis; Side effects; Compliance; Prophylactic alternatives **67,** 21

Temperament; Self-assessment; Gender; Mania; Mixed state **67,** 97

Temporal relationship; Anxiety disorders; (Hypo)mania **67,** 199

Treatment; Bipolar disorder; Methodology; Longitudinal; Clinical trials; Life chart; CGI-BP; Stanley Foundation Bipolar Network; NIMH **67,** 33

Treatment Outcome Network; Bipolar disorder; Depression; Illness course; Family history; Comorbidity; Suicide; Stanley Foundation **67,** 45

Unipolar; Hypomania; Bipolar II; Pseudo-unipolar; Depressive mixed state **67,** 115

Unipolar depression; Association for Methodology and Documentation in Psychiatry; Antidepressants; Bipolar depression; Global assessment scale **67,** 141

United States Department of Veterans Affairs; Bipolar disorder; Clinical trial; Outcome assessment (health care); Costs and cost analysis (cost-benefit analysis); National Institute of Mental Health **67,** 61

Valproate; Very young children; Open case series; Mood stabilizers; Stimulants **67,** 193

Valproate; Bipolar disorder; Lithium; Carbamazepine; Divalproex sodium; Neuroletics **67,** 257

Very young children; Valproate; Open case series; Mood stabilizers; Stimulants **67,** 193

Wilhelm Weygandt; Mixed states, bipolar; Reviews **67,** 229